


Aluminum Angle

6061-T6 Structural Angle (continued)




■ Specifications: ASTM B 221

■ Stocked in 25 foot lengths

Leg (A)	Leg (B)	Thickness (C)	Radius (R ₁)	Radius (R ₂)	Lbs Ft	Lbs/Length	Part Number
6	4	$\frac{3}{8}$.500	.375	4.320	108.000	136657
6	4	$\frac{1}{2}$.500	.375	5.578	139.450	552578
6	6	$\frac{3}{8}$.500	.375	5.119	127.975	509096
6	6	$\frac{1}{2}$.500	.375	6.754	168.850	420501
6	6	$\frac{3}{4}$.750	.375	9.915	247.875	665038
8	8	$\frac{1}{2}$.500	.375	9.141	228.525	599295

Dimensions are in inches. All weights are approximate.

6063-T52 Sharp Corner Architectural Angle



■ Specifications: ASTM B 221

■ Stocked in 16 foot lengths

Leg (A)	Leg (B)	Thickness (C)	Lbs Ft	Lbs/Length	Part Number
$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{8}$.131	2.096	466696
$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{8}$.131	2.620 *	587175
$\frac{3}{4}$	$\frac{3}{4}$	$\frac{1}{8}$.206	3.296	136681
1	$\frac{3}{4}$	$\frac{1}{8}$.244	3.904	544533
1	1	$\frac{1}{8}$.280	4.480	241169
$1\frac{1}{4}$	$1\frac{1}{4}$	$\frac{1}{8}$.356	5.696	466701
$1\frac{1}{2}$	1	$\frac{1}{8}$.356	5.696	108086
$1\frac{1}{2}$	$1\frac{1}{2}$	$\frac{1}{16}$.218	3.488	670538
$1\frac{1}{2}$	$1\frac{1}{2}$	$\frac{1}{8}$.431	6.896	108109
$1\frac{1}{2}$	$1\frac{1}{2}$	$\frac{3}{16}$.622	9.952	624545
2	1	$\frac{1}{8}$.431	10.775 **	136699
2	$1\frac{1}{2}$	$\frac{1}{8}$.496	12.400	592887
2	2	$\frac{1}{8}$.581	9.296	229743
2	2	$\frac{3}{16}$.860	13.760	636958
2	2	$\frac{1}{4}$	1.092	17.472	497516
3	1	$\frac{1}{8}$.570	9.120	551904
3	3	$\frac{1}{4}$	1.726	27.616	636398

Dimensions are in inches. All weights are approximate.

* 20 Ft lengths

** 25 Ft lengths