


Aluminum Channel


6061-T6 Aluminum Association Channel



- Specifications: ASTM B 221
- Stocked in 25 foot lengths

Size (A)	Web (B)	Flange (C)	Thickness (D)	Radius (R)	Lbs Ft	Lbs/ Length	Part Number
2	.130	1.000	.130	.100	0.577	14.425	562604
2	.170	1.250	.260	.150	1.071	26.775	229751
3	.130	1.500	.200	.250	1.135	28.375	422333
3	.170	1.750	.260	.250	1.597	39.925	286884
4	.150	2.000	.230	.250	1.738	43.450	405373
4	.190	2.250	.290	.250	2.331	58.275	466832
5	.150	2.250	.260	.300	2.212	55.300	421337
5	.190	2.750	.320	.300	3.089	77.225	421329
6	.170	2.500	.280	.300	2.834	70.850	443795
6	.210	3.250	.350	.300	4.030	100.750	299803
7	.210	3.500	.380	.310	4.715	117.875	515128
8	.190	3.000	.350	.300	4.147	103.675	412867
8	.250	3.750	.410	.350	5.789	144.725	484864
9	.230	3.250	.350	.350	4.983	124.575	509088
10	.250	3.500	.410	.350	6.136	153.400	412859
10	.310	4.250	.500	.400	8.360	209.000	509070
12	.290	4.000	.470	.400	8.274	206.850	551718
12	.350	5.000	.620	.450	11.822	295.550	461840

6063 -T52 Sharp Corner Architectural Channel



- Specifications: ASTM B 221
- Stocked in 16 foot lengths

Size (A)	Web (C)	Flange (B)	Lbs/Ft	Lbs/Length	Part Number
$\frac{3}{4}$.125	$\frac{3}{4}$	0.300	4.800	453863
1	.125	1	0.413	6.608	136704
$1 \frac{1}{4}$.125	$1 \frac{1}{4}$	0.526	8.416	136712
$1 \frac{1}{2}$.125	1	0.487	7.792	502662
$1 \frac{1}{2}$.125	$1 \frac{1}{2}$	0.637	10.192	465860
$1 \frac{3}{4}$.125	1	0.510	8.160	615716
2	.125	1	0.564	9.024	581111
$2 \frac{1}{2}$.125	$1 \frac{1}{2}$	0.787	12.592	552188
2	.125	2	0.863	17.260 *	136720
2	.250	2	1.670	36.740 **	136738
3	.125	1	0.718	11.488	229769

* 20 ft. Length.

**22 ft. Length.

Dimensions are in inches. All weights are approximate.